

119 The K-Nearest Neighbor Algorithm for the Classification of Internet Users in Rural Campus

by LPPM STMIK Sumedang

Submission date: 20-Aug-2021 07:27AM (UTC-0500)

Submission ID: 1633637390

File name: CITSM2021_paper_119.doc (436.5K)

Word count: 4064

Character count: 22427

The K-Nearest Neighbor Algorithm for the Classification of Internet Users in Rural Campus

8

1st Esa Firmansyah
Department of Informatics Engineering
STMIK Sumedang
Sumedang, Indonesia
esa@stmik-sumedang.ac.id

2

3rd Dwi Yuniarto
Department of Informatics Engineering
STMIK Sumedang
Sumedang, Indonesia
duart0@stmik-sumedang.ac.id

2nd Dody Herdiana

Department of Informatics Engineering
STMIK Sumedang
Sumedang, Indonesia
dody@stmik-sumedang.ac.id

4th Dani Indra Junaedi

Department of Informatics Engineering
STMIK Sumedang
Sumedang, Indonesia
dani@stmik-sumedang.ac.id

Abstract—Internet users can be classified based on their activities so that these activities can determine their behavior. One of these classification methods can be done using the K-Nearest Neighbor Algorithm. The purpose of this study was to classify the characteristics of students in accessing the internet using wi-fi in rural campuses. This study involved 60 students as respondents from rural campuses, of which 40 respondents came from the Informatics Engineering group, 18 respondents from Information Systems, and two respondents from Information Management. The classification of user characteristics is based on the study program, the device used, and the application accessed. While the results obtained show that as many as 25 students who use rural campus Wi-Fi access are used to learn to use browsers in search applications, and 5 other students are used to search for news. In addition, 27 other students use Wi-fi for entertainment, and the last three students use Wi-fi for everything, be it learning, entertainment, and news.

Keywords—classification, k-nearest neighbor, internet, wi-fi, rural campus.

I. INTRODUCTION

The internet is a link between humans using computer facilities to interact with each other in different places [1]. The number of internet users in Indonesia in January 2021 was recorded at 202.6 million with a penetration of 73.7%. Of the total 202.6 million internet users in Indonesia, 96.4 percent of them use smartphones to access the internet [2]. The development of the internet has changed the lifestyle of people in studying, working, communicating, and other aspects of life in a negative or positive direction [3]. The use of the internet among the public is certainly supported by the function and purpose of the initial development of the internet, such as to build easy access to information, communication [4], and to make it easier to work [5, 6]. In addition, the use of the internet among the public is certainly supported by the function and purpose of the initial development of the internet [7, 8], such as to build easy access to information, communication, and to make it easier to work [9]. At present, internet access can be done in two network modes, namely wired and wireless-based networks [10]. People now use wireless networks to access the internet [11, 12], this is one of the advances in technology, where the use of wireless networks is considered cheaper and easier [13-15]. a transmitting device on a wireless network is a

device called a wireless access point or better known as Wi-Fi [16]. With the Wi-Fi network, it is easier to access by mobile with hardware and network maintenance which is quite cheap and easy, so it is widely used by the public today [17]. The provision of free Wi-Fi facilities in educational settings is not fully used to access academic information only [18]. It is necessary to have analysis and grouping to find out what sites are often accessed by the community in an educational environment [19]. Internet users can know their behavior through the classification of their activities [20], this is commonly known as a Cyber Profile [21]. Classification can be done using the K-Nearest Neighbor or K-NN algorithm [22], which is the simplest algorithm where the results of a new instance are classified based on the majority of the k-nearest neighbor category [23]. Not only that, K-NN is an algorithm that can be used in many fields such as statistical pattern recognition [24-26], data grouping, data processing, image processing, and other applications [27, 28]. This study aims to classify internet sites that are frequently accessed by Rural Campus [29] students when using free internet services using the k-Nearest Neighbor algorithm. This research is expected to be able to generate considerations for the campus in managing internet access better, as well as a new understanding of the implementation of the k-NN algorithm in the Rural Campus environment.

II. METHOD

The research is experimental, where experimental research is a systematic research method that seeks to find the effect of a particular treatment given to a variable on another variable [30], which is not given treatment under controlled conditions [31]. Experimental research is a type of quantitative research that is very strong in measuring causal relationships [32, 33]. The following is the experimental research procedure: First, Identifying the problem [15, 16, 18, 24, 34, 35], namely identifying the existing network management in rural campus and what kind of use it is for students [22, 36-39]. Second, conducting a literature study, namely reading previous research that discusses the campus network and the K-NN algorithm [15, 16, 24, 25, 34]. Three, identification of variables, namely determining the variables that will be used as research material in the scope of rural campus [19]. Four, data collection, namely data collection in the form of questionnaires that were distributed randomly to

students [24]. Five, after data collection, the data obtained is examined and sorted to proceed to the analysis stage using the K-NN algorithm [27]. Six, the results of data analysis, namely the results of data analysis obtained from calculations using the K-NN algorithm [23]. Data analysis using the K-NN Algorithm can be seen in Figure 1.




Fig. 1. The K-Nearest Neighbor Algorithm

The sample collection carried out in this study using the Slovin formula [17]. Where the Slovin formula is a formula or formula for calculating the minimum number of samples if the behavior of a population is not known with certainty. The research data collected were 60 respondents from 3 study programs in the rural campus. This data collection was carried out randomly by distributing online questionnaires, with the results of 40 respondents from Informatics Engineering, 18 respondents from Information Systems, and two respondents from Information Management.




Fig. 2. The Respondents Based on Study Program

Furthermore, based on the devices used to access the internet as follows, 38 respondents answered using mobile smartphones, while 22 others used computers or laptops.




Fig. 3. The Respondents Based on the devices

Next, we determine the parameter k (number of nearest neighbors), where the value of k used is three, this is the result of grouping the sample data from the smallest to the

largest value, by determining the three closest values from the smallest value, and the three closest values from the largest value. Then, the sample data is processed by calculating the square of the euclidian distance of each object to the given sample data [40].

$$d(x_i, x_j) = \sum_{r=1}^n |x_i - y_i|$$

$d(x_i, x_j)$: Euclidean Distance

x_i : record i

x_j : record j

Fig. 4. The Respondents Euclidean Distance [40]

Then sort the previous result values into groups that have the smallest distance [25], then collect the Y value which is the result of the nearest neighbor classification, so that the nearest neighbor category can be calculated from predictable query instances.

III. RESULTS AND DISCUSSION

Data collection of respondents based on the devices used to access the internet on the rural campus wi-fi network can be seen in table one.

TABLE I. RESPONDENTS AND ACCESS TOOLS

Row Labels	Count of Study Program	Count of Level
Information Management	2	2
Level three	2	2
Smartphone phone	1	1
Computer or Laptops	1	1
Information System	18	18
Level one	7	7
Smartphone phone	5	5
Computer or Laptops	2	2
Level two	6	6
Smartphone phone	3	3
Computer or Laptops	3	3
Level three	5	5
Smartphone phone	2	2
Computer or Laptops	3	3
Teknik Informatika	40	40
Level one	6	6
Smartphone phone	3	3
Computer or Laptops	3	3
Level two	11	11
Smartphone phone	10	10
Computer or Laptops	1	1
Level three	14	14
Smartphone phone	9	9
Computer or Laptops	5	5
Level four	9	9
Smartphone phone	5	5
Computer or Laptops	4	4
Grand Total	60	60

In addition to the device used, the classification of respondents is also grouped based on the application used to access the rural campus wi-fi network.

TABLE II. ACCESS TOOLS AND APPLICATIONS

Access Tools	Applications
Smartphone phone	WhatsApp; Youtube; Google Chrome
Smartphone phone	Instagram; Whatsapp; Youtube; e-commerce (Lazada, Tokopedia, shopee)
Computer or Laptops	Google Chrome
Computer or Laptops	WhatsApp; Google Chrome; E-learning campus; Game Online (PUBG, Mobile legend)
Smartphone phone	Google Chrome; Google Classroom; E-learning campus
Smartphone phone	Instagram
Computer or Laptops	Youtube; Google Chrome; e-commerce (Lazada, Tokopedia, shopee)
Smartphone phone	Instagram; Whatsapp; Google Chrome; Google Drive; Google Classroom; E-learning campus; E-mail
Computer or Laptops	Instagram; Google Chrome; Game Online (PUBG, Mobile legend); Tiktok
Computer or Laptops	Instagram; Google Chrome; Google Drive; Google Classroom
Smartphone phone	News Website (Inews, Detik)
Computer or Laptops	Instagram; Whatsapp; Youtube; Google Chrome; Google Drive; E-learning campus; e-commerce (Lazada, Tokopedia, Shopee); Game Online (PUBG, Mobile legend); News Website (News, Detik.com); JOOX, spotify
Smartphone phone	Instagram; Whatsapp; Facebook; Viu; Google Chrome; Google Classroom; E-learning campus; e-mail
Smartphone phone	Instagram
Smartphone phone	Google Chrome; Viu; Browser
Smartphone phone	Instagram; Whatsapp; Facebook; Youtube; Google Play; Google Drive; Google Classroom; E-learning campus; e-mail; e-commerce (Lazada, Tokopedia, Shopee); Game Online (PUBG, Mobile legend)
Smartphone phone	WhatsApp; Youtube; E-learning campus
Smartphone phone	Google Chrome; Google Classroom; E-learning campus
Smartphone phone	Instagram; Whatsapp; Twitter; Youtube; Google Chrome; E-learning campus; E-mail; e-commerce (Lazada, Tokopedia, shopee); Game Online (PUBG, Mobile legend)
Computer or Laptops	Youtube
Computer or Laptops	Youtube
Computer or Laptops	Google Chrome; Google Drive; E-learning campus; E-mail
Smartphone phone	Instagram; Youtube
Computer or Laptops	Youtube; Google Drive; E-learning campus
Smartphone phone	WhatsApp; Twitter; Youtube; Google Chrome; E-learning campus
Smartphone phone	Instagram; Whatsapp; Facebook; Google Chrome; E-learning campus; E-mail
Smartphone phone	Google Chrome; Google Classroom; E-learning campus
Smartphone phone	Instagram; Whatsapp; E-learning campus
Smartphone phone	Whatsapp
Smartphone phone	Whatsapp
Computer or Laptops	WhatsApp; Youtube; Google Chrome; Google Drive; Google Classroom; E-learning campus
Computer or Laptops	Youtube
Smartphone phone	Whatsapp
Smartphone phone	Instagram; Whatsapp; Facebook; Google Chrome; E-learning campus
Smartphone phone	WhatsApp; Youtube; Google Chrome; Google Classroom; E-learning campus; e-commerce (Lazada, Tokopedia, shopee)
Computer or Laptops	E-learning campus; E-mail
Computer or Laptops	Youtube
Smartphone phone	Google Chrome
Computer or Laptops	Google Chrome
Smartphone phone	Whatsapp
Smartphone phone	Google Drive
Computer or Laptops	Youtube; Google Chrome; Google Classroom; E-learning campus; E-mail
Computer or Laptops	Instagram; Whatsapp; Facebook; Youtube; Viu; Google Chrome; Google Play; Google Drive; E-learning campus; Game Online (PUBG, Mobile legend); JOOX, Spotify
Smartphone phone	Instagram; Whatsapp; Facebook; Youtube; Google Chrome; E-learning campus; Game Online (PUBG, Mobile legend); News Website (News, Detik); JOOX, Spotify
Computer or Laptops	Instagram; Whatsapp; Facebook; Twitter; Youtube; Viu; Google Chrome; Google Classroom; E-learning campus; E-mail; e-commerce (Lazada, Tokopedia, Shopee); Game Online (PUBG, Mobile legend); News Website (News, Detik); JOOX, Spotify

Access Tools	Applications
Smartphone phone	WhatsApp; Youtube; Google Chrome
Smartphone phone	Instagram; Whatsapp; Youtube; e-commerce (Lazada, Tokopedia, shopee)
Computer or Laptops	Google Chrome
Computer or Laptops	WhatsApp; Google Chrome; E-learning campus; Game Online (PUBG, Mobile legend)
Smartphone phone	Google Chrome; Google Classroom; E-learning campus
Smartphone phone	Instagram
Computer or Laptops	Youtube; Google Chrome; e-commerce (Lazada, Tokopedia, shopee)
Smartphone phone	WhatsApp; Google Chrome; Google Play; Google Drive; E-learning campus
Smartphone phone	Instagram
Smartphone phone	Instagram; Whatsapp; Facebook; Youtube; Google Chrome; E-learning campus; e-commerce (Lazada, Tokopedia, shopee); Game Online (PUBG, Mobile legend); News (Inews, Detik)
Computer or Laptops	WhatsApp; Youtube; E-learning campus
Smartphone phone	Instagram; Whatsapp; Youtube
Computer or Laptops	Google Chrome; E-learning campus
Smartphone phone	Instagram; Whatsapp; Youtube
Computer or Laptops	Instagram; Youtube; Google Chrome; Google Classroom; E-learning campus
Smartphone phone	Instagram; Youtube; Google Chrome; E-learning campus; JOOX, Spotify
Smartphone phone	Instagram; Whatsapp; Youtube; Google Chrome; Google Classroom; E-learning campus
Computer or Laptops	Youtube; Google Chrome; Google Classroom; E-learning campus
Smartphone phone	Instagram; Whatsapp; Youtube; Viu; Google Chrome; E-learning campus
Smartphone phone	Instagram; Whatsapp; Youtube; Google Chrome; Google Play; Google Drive; E-learning campus
Smartphone phone	Google Chrome; E-learning campus; E-mail
Smartphone phone	Instagram; Whatsapp; Youtube; Google Chrome; E-learning campus

11
Determining the classification using the k-nearest neighbor algorithm, the value of k must be determined first, therefore in this study, the value of k is determined by three as the determinants of the classification.

TABLE III. APPLICATIONS AND NUMBER OF VISITS

Applications	Number of visits
Tiktok	1
Browser	1
Twitter	3
Google Play	4
Viu	4
Music Streaming	5
News Website	5
E-commerce	8
Facebook	8
Game Online	9
Email	10
Google Drive	11
Google Classroom	14
Instagram	27
Whatsapp	31
Youtube	31
E-learning campus	35
Google Chrome	37

To get the results of the interval calculation, the data collected is sorted from the smallest to the largest value, then the value of k is determined to take the nearest neighbor from the largest and smallest values.

From the order of the smallest and largest data, determine the three closest numbers to be made into a temporary group. For data that is not included in a group, it is used as sample data to calculate the square of the Euclidean distance for each group object. The sample data used as a determinant of

the group is the value of visits that are not included in the three closest neighbors of the smallest and largest values.

TABLE IV. EUCLID DISTANCE SQUARED SAMPLE DATA

Data	Data Sample	Result
1	6	7.071067812
2	6	5.656854249
3	6	4.242640687
4	6	2.828427125
5	6	1.414213562

From the results of the calculation of the square of the Euclidean distance, there are three classifications, then the amount of data is divided into three groups from the results of the square of the Euclidean distance to determine the interval distance between groups.

TABLE V. ORDER GROUP K = 3

Applications	Number of Visits	Groups
Tiktok	1	1
Browser	1	1
Twitter	3	1
Google Play	4	1
Viu	4	1
Music Streaming	5	1
News Website	5	1
E-commerce	8	1
Facebook	8	1
Game Online	9	1
E-mail	10	1
Google Drive	11	1
Google Classroom	14	3
Instagram	27	2
Whatsapp	31	2
Youtube	31	2
E-learning campus	35	2
Google Chrome	37	2

The following table shows the results of the classification of rural campus wifi network usage based on frequently used applications




Fig. 5. Graph of Number of Visits by Application




Fig. 6. Access Content

Meanwhile, based on the type of content accessed by rural campus students when connected to the internet, it is shown in the following figure six.

Following are the results of respondent data based on three classifications, namely: Interval one, Interval two, and Interval three. Furthermore, Interval one is a group with 12 members which are the most members with an interval of 1-13, meaning that the value of visits ranging from 1 to 13 times is carried out by students, including the high group with the lowest visits. While Interval two is the group with the least number of members, but visits to the site are not the lowest, with intervals of visits ranging from 13 to 25 times carried out by 60 respondents. And Interval three is a group with a moderate number of members but most frequently visited by students with intervals of visits ranging from 25 times to 37 times from 60 respondents.




Fig. 7. Interval classification graph

Group One, the number of visits to e-commerce applications, Facebook eight times, E-mail 10 times, Online games nine times, Google play, Viu four times, Google Drive 11 visits, Music streaming five times, and Twitter has three visits, so it is included in the Interval One classification with the highest number of members, namely 12 applications with a distance of 1-13 intervals. This means that the value of visits in the range of 1 to 13 times was carried out by students including the high group with the lowest visits. While group Two, the number of visits to the Google classroom application is 14 times, so it is included in the Interval Two classification which is the group with the least number of members, namely only one application with an interval of 13-25 times, so it is included in the group with an average number of visits. Finally, group Three, with the Instagram application being visited 27 times, WhatsApp and Youtube 31 times, and Google Chrome 37 times, is included in the third interval classification with an interval of visits of 25-37 times, therefore the visit value ranges from 25 to 37 times. is the group with the highest number of visits. Based

on these results, 25 students using rural campus Wi-Fi access are used for learning using a browser on a search application, and 5 other students are used to search for news. In addition, 27 more students use Wi-fi for entertainment, and the last three students use Wi-fi for everything, be it learning, entertainment and news.

9 IV. CONCLUSION

Based on the results of research that has been done shows that the respondents, in this case, are students in rural campuses accessing the internet via a wi-fi network with three classifications, namely; high, medium, and low, so that the Euclidean distance value formed in each group is 12, of which 37% most frequently access Google Chrome applications using computers or laptops and smartphones.

REFERENCE

- [1] Z. Geler, V. Kurbalija, M. Ivanović, and M. Radovanović, "Weighted kNN and constrained elastic distances for time-series classification." *Expert Systems with Applications*, vol. 162, p. 113829, 2020.
- [2] R. Gunawan, S. Aulia, H. Supeno, A. Wijanarko, J. P. Uwiringiyimana, and D. Mahayana, "Adiksi Media Sosial dan Gadget bagi Pengguna Internet di Indonesia." *TECHNO-SOCIO EKONOMIKA*, vol. 14, no. 1, pp. 1-14, 2021.
- [3] L. S. Snyder, M. Karimzadeh, C. Stober, and D. S. Ebert, "Situational awareness enhanced through social media analytics: A survey of first responders," in *2019 IEEE International Symposium on Technologies for Homeland Security (HST)*, 2019: IEEE, pp. 1-8.
- [4] A. Subiyakto, N. Erlina, Y. Sugiarti, N. Hakiem, M. Irfan, and A. R. Ahlan, "Assessing mobile learning system performance in Indonesia: Reports of the model development and its instrument testing," in *AIP Conference Proceedings*, 2021, vol. 2331, no. 1: AIP Publishing LLC, p. 060014.
- [5] N. O. Irawan, P. D. Nurfadila, P. Y. Ristanti, and J. A. Hammad, "Blocking pomography sites on the internet private and university access," *Bulletin of Social Informatics Theory and Application*, vol. 3, no. 1, pp. 22-29, 2019.
- [6] K. Rinatha, I. G. Harsemadi, and L. G. S. Kartika, "Pelatihan Internet Sehat dalam rangka Pemanfaatan Internet Gratis di Desa Mengwi Kabupaten Badung." *WIDYABHAKTI Jurnal Ilmiah Populer*, vol. 2, no. 3, pp. 137-145, 2020.
- [7] E. Oztemel and S. Gursev, "Literature review of Industry 4.0 and related technologies," *Journal of Intelligent Manufacturing*, vol. 31, no. 1, pp. 127-182, 2020.
- [8] A. A. Alalwan, A. M. Baabdullah, N. P. Rana, K. Tamilmani, and Y. K. Dwivedi, "Examining adoption of mobile internet in Saudi Arabia: Extending TAM with perceived enjoyment, innovativeness and trust," *Technology in Society*, vol. 55, pp. 100-110, 2018.
- [9] F. Esa, D. Yuniarto, D. Herdiana, S. Mulya, S. A'ang, and A. R. Aedah, "Integrating the Readiness and IS-Impact Constructs in the Rural Area Context: A Model Development," in *IOP Conf. Series: Materials Science and Engineering* 662, 2019: IOP Publishing, pp. 1-11.
- [10] N. Y. S. Munti and D. A. Syaifuddin, "Analisa Dampak Perkembangan Teknologi Informasi Dan Komunikasi Dalam Bidang Pendidikan." *Jurnal Pendidikan Tambusai*, vol. 4, no. 2, pp. 1975-1805, 2020.
- [11] E. Morin, M. Maman, R. Guizzetti, and A. Duda, "Comparison of the device lifetime in wireless networks for the internet of things," *IEEE Access*, vol. 5, pp. 7097-7114, 2017.
- [12] P. Mudliar, "Public WiFi is for men and mobile internet is for women: Interrogating politics of space and gender around WiFi hotspots," *Proceedings of the ACM on Human-Computer Interaction*, vol. 2, no. CSCW, pp. 1-24, 2018.
- [13] A. A. Allahham and M. A. Rahman, "A smart monitoring system for campus using Zigbee wireless sensor networks," *International Journal of Software Engineering and Computer Systems (IJSECS)*, vol. 4, no. 1, pp. 1-14, 2018.
- [14] A. G. Alvanou *et al.*, "CaBIUs: description of the enhanced wireless campus testbed of the Ionian University," *Electronics*, vol. 9, no. 3, p. 454, 2020.
- [15] K. N. Ohei and R. Brink, "The Effectiveness of Wi-Fi-Network Technology on Campuses and Residences for an Improved Learning Experience and Engagement," *Mousaion*, vol. 39, no. 1, 2021.
- [16] F. B. K. Easha, R. Abbas, and M. Daley, "Campus Wi-Fi Coverage Mapping and Analysis," *arXiv preprint arXiv:2004.01561*, 2020.
- [17] Y. Mukarim, "Monitoring Pengaksesan Layanan Wifi Di Universitas Muhammadiyah Surakarta (Studi Kasus Kampus 1 dan Kampus 2 UMS)," Universitas Muhammadiyah Surakarta, 2014.
- [18] C. G. T. W. Hong, S. Yean, B. S. Lee, and A. Y. W. Koh, "Analysing Social Behavioural Patterns of University Students Who Partake in Sports-related Activities using Wi-Fi Data," in *2020 International Conferences on Internet of Things (iThings) and IEEE Green Computing and Communications (GreenCom) and IEEE Cyber, Physical and Social Computing (CPSCom) and IEEE Smart Data (SmartData) and IEEE Congress on Cybermatics (Cybermatics)*, 2020: IEEE, pp. 888-895.
- [19] M. Uras, R. Cossu, E. Ferrara, A. Liotta, and L. Atzori, "PmA: A real-world system for people mobility monitoring and analysis based on Wi-Fi probes," *Journal of Cleaner Production*, vol. 270, p. 122084, 2020.
- [20] E.-I. Varga, "How does the Internet Influences the Readers' Behavior," *Procedia Manufacturing*, vol. 46, pp. 949-956, 2020.
- [21] K. Hartmann and K. Giles, "The Next Generation of Cyber-Enabled Information Warfare," in *2020 12th International Conference on Cyber Conflict (CyCon)*, 2020, vol. 1300: IEEE, pp. 233-250.
- [22] N. O. F. Daeli and A. Adiwijaya, "Sentiment analysis on movie reviews using Information gain and K-nearest neighbor," *Journal of Data Science and Its Applications*, vol. 3, no. 1, pp. 1-7, 2020.
- [23] S. Syarif, "Trending topic prediction by optimizing K-nearest neighbor algorithm," in *2017 4th International Conference on Computer Applications and Information Processing Technology (CAIPT)*, 2017: IEEE, pp. 1-4.
- [24] M. Ali, L. T. Jung, A.-H. Abdel-Aty, M. Y. Abubakar, M. Elhoseny, and I. Ali, "Semantic-k-NN algorithm: An enhanced version of traditional k-NN algorithm," *Expert Systems with Applications*, vol. 151, p. 113374, 2020.
- [25] X. Xu *et al.*, "A deep learning system to screen novel coronavirus disease 2019 pneumonia," *Engineering*, vol. 6, no. 10, pp. 1122-1129, 2020.
- [26] L. Jiao, X. Geng, and Q. Pan, "BP \$ k \$ NN: \$ k \$ \$-Nearest Neighbor Classifier With Pairwise Distance Metrics and Belief Function Theory," *IEEE Access*, vol. 7, pp. 48935-48947, 2019.
- [27] S. Omid, F. Schreiber, and A. Masoudi-Nejad, "MODA: an efficient algorithm for network motif discovery in biological networks," *Genes & genetic systems*, vol. 84, no. 5, pp. 385-395, 2009.
- [28] A. Saxena *et al.*, "A review of clustering techniques and developments," *Neurocomputing*, vol. 267, pp. 664-681, 2017.
- [29] E. Firmansyah *et al.*, "Examining readiness of e-learning implementation using Aydin and Tasci model: A rural university case study in Indonesia," in *American Institute of Physics Conference Series*, 2021, vol. 2331, no. 1, p. 060020.
- [30] S. T. Leatherdale, "Natural experiment methodology for research: a review of how different methods can support real-world research," *International Journal of Social Research Methodology*, vol. 22, no. 1, pp. 19-35, 2019.
- [31] Z. Wang *et al.*, "Onymity promotes cooperation in social dilemma experiments," *Science advances*, vol. 3, no. 3, p. e1601444, 2017.
- [32] J. Bloomfield and M. J. Fisher, "Quantitative research design," *Journal of the Australasian Rehabilitation Nurses Association*, vol. 22, no. 2, pp. 27-30, 2019.
- [33] M. Oliver, "The social model of disability: Thirty years on," *Disability & society*, vol. 28, no. 7, pp. 1024-1026, 2013.
- [34] S. Dargan, M. Kumar, A. Garg, and K. Thakur, "Writer identification system for pre-segmented offline handwritten Devanagari characters using k-NN and SVM," *Soft Computing*, pp. 1-12, 2019.
- [35] A. Hamed, A. Sobhy, and H. Nassar, "Accurate Classification of COVID-19 Based on Incomplete Heterogeneous Data using a K NN Variant Algorithm," *Arabian Journal for Science and Engineering*, pp. 1-12, 2021.
- [36] C. Gwena, W. T. Chinyamurindi, and C. Marange, "Motives influencing Facebook usage as a social networking site: An empirical study using international students," *Acta Commercii*, vol. 18, no. 1, pp. 1-11, 2018.

The 9th International Conference on Cyber and IT Service Management (CITSM 2021)
Bengkulu, September 22-23, 2021

- [37] A. Ojugo and A. Eboka, "Mitigating Technical Challenges via Redesigning Campus Network for Greater Efficiency, Scalability and Robustness: A Logical View," *International Journal of Modern Education & Computer Science*, vol. 12, no. 6, 2020.
- [38] S. Nash and R. Mitra, "University students' transportation patterns, and the role of neighbourhood types and attitudes," *Journal of transport geography*, vol. 76, pp. 200-211, 2019.
- [39] A. Subiyakto, R. Abd Ahlan, M. Kartiwi, N. Hakiem, M. Q. Huda, and A. Susanto, "The Information System Project Profiles among Universities in Indonesia," *TELKOMNIKA Indonesian Journal of Electrical Engineering*, pp. 865-872, 2018.
- [40] J. Han, M. Kamber, and J. Pei, "Data mining concepts and techniques third edition," *The Morgan Kaufmann Series in Data Management Systems*, vol. 5, no. 4, pp. 83-124, 2011.

119 The K-Nearest Neighbor Algorithm for the Classification of Internet Users in Rural Campus

ORIGINALITY REPORT

8%

SIMILARITY INDEX

4%

INTERNET SOURCES

6%

PUBLICATIONS

4%

STUDENT PAPERS

PRIMARY SOURCES

1	www.aconf.org Internet Source	2%
2	Dwi Yuniarto, Dody Herdiana, Dani Indra Junaedi. "Smart Farming Precision Agriculture Project Success based on Information Technology Capability", 2020 8th International Conference on Cyber and IT Service Management (CITSM), 2020 Publication	1%
3	uniassignment.com Internet Source	1%
4	Submitted to Universitas Negeri Jakarta Student Paper	1%
5	netral.news Internet Source	1%
6	M. Ataharul Islam, Abdullah Al-Shiha. "Foundations of Biostatistics", Springer Science and Business Media LLC, 2018 Publication	1%

- | | | |
|----|--|------|
| 7 | www.crossref.org
Internet Source | 1 % |
| 8 | Dwi Yuniarto, Dani Indra Junaedi, Esa Firmansyah. "Acceptance of Ubiquitous Registration Information Systems", 2020 8th International Conference on Cyber and IT Service Management (CITSM), 2020
Publication | <1 % |
| 9 | Awal Kurnia Putra Nasution, Andika Hariyanto Surbakti, Rahmanita Zakaria, Sungkawati Kardi Wahyuningsih, Leni Agustina Daulay. "Face to Face Learning vs Blended Learning vs Online Learning (Student Perception of Learning)", Journal of Physics: Conference Series, 2021
Publication | <1 % |
| 10 | Alfin Pratama Salim, Kusuma Ayu Laksitowening, Ibnu Asror. "Time Series Prediction on College Graduation Using KNN Algorithm", 2020 8th International Conference on Information and Communication Technology (ICoICT), 2020
Publication | <1 % |
| 11 | Shaveta Dargan, Munish Kumar, Anupam Garg, Kutub Thakur. "Writer identification system for pre-segmented offline handwritten Devanagari characters using k-NN and SVM", Soft Computing, 2019 | <1 % |

Publication

Exclude quotes On

Exclude matches Off

Exclude bibliography On

119 The K-Nearest Neighbor Algorithm for the Classification of Internet Users in Rural Campus

PAGE 1

PAGE 2

PAGE 3

PAGE 4

PAGE 5

PAGE 6
